



Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH)

Hydrofluoric acid 20%

Version number: 12.0
Replaces version of: 2017-12-08 (11)

Revision: 2019-03-15
First version: 2006-04-06

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

| | |
|------------------------------------|------------------------------|
| Trade name | Hydrofluoric acid 20% |
| Registration number (REACH) | not relevant (mixture) |
| CAS number | not relevant (mixture) |

1.2 Relevant identified uses of the substance or mixture and uses advised against

| | |
|---------------------------------|---|
| Relevant identified uses | Industrial uses Chemicals for various applications Surface treatment Laboratory chemicals Catalyst Intermediate |
| Uses advised against | Do not use for squirting or spraying Do not use for products which come into direct contact with the skin Do not use for private purposes (household) |

1.3 Details of the supplier of the safety data sheet

| | |
|--|--|
| BERGCHEMIE J.C.Bröcking & Co. GmbH Rudolfstrasse 14 42285 Wuppertal Germany | Telephone: ++49 (0) 202 - 45 60 60 Telefax: ++49 (0) 202 / 44 79 32 |
|--|--|

e-mail (competent person) sdb@csb-online.de

Please do not use this e-mail adress to ask for the latest safety data sheet. For this purpose contact BERGCHEMIE J.C.Bröcking & Co. GmbH.

1.4 Emergency telephone number

As above or next toxicological information centre.

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Hydrofluoric acid 20%

Classification according to Regulation (EC) No 1272/2008 (CLP)

| Classification | | | | |
|----------------|--|----------|---------------------------|------------------|
| Section | Hazard class | Category | Hazard class and category | Hazard statement |
| 2.16 | substance or mixture corrosive to metals | 1 | Met. Corr. 1 | H290 |
| 3.1O | acute toxicity (oral) | 2 | Acute Tox. 2 | H300 |
| 3.1D | acute toxicity (dermal) | 1 | Acute Tox. 1 | H310 |
| 3.1I | acute toxicity (inhal.) | 3 | Acute Tox. 3 | H331 |
| 3.2 | skin corrosion/irritation | 1A | Skin Corr. 1A | H314 |
| 3.3 | serious eye damage/eye irritation | 1 | Eye Dam. 1 | H318 |

for full text of abbreviations: see SECTION 16

The most important adverse physicochemical, human health and environmental effects

Skin corrosion produces an irreversible damage to the skin; namely, visible necrosis through the epidermis and into the dermis.

Spillage and fire water can cause pollution of watercourses.

2.2 Label elements

Labelling according to Regulation (EC) No 1272/2008 (CLP)

Signal word danger

Pictograms

GHS05, GHS06



Hazard statements

H290 May be corrosive to metals.
H300+H310 Fatal if swallowed or in contact with skin.
H314 Causes severe skin burns and eye damage.
H331 Toxic if inhaled.

Precautionary statements

P234 Keep only in original container.
P260 Do not breathe mist/vapours/spray.
P280 Wear protective gloves/protective clothing/eye protection/face protection.
P301+P330+P331 IF SWALLOWED: rinse mouth. Do NOT induce vomiting.
P303+P361+P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower.
P304+P340 IF INHALED: Remove person to fresh air and keep comfortable for breathing.
P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P310 Immediately call a POISON CENTER/doctor.

Hydrofluoric acid 20%

Precautionary statements

P405 Store locked up.

Hazardous ingredients for labelling hydrofluoric acid

2.3 Other hazards

Substance may be absorbed through the skin.
Causes poorly healing wounds.

Results of PBT and vPvB assessment

This mixture does not contain any substances that are assessed to be a PBT or a vPvB.



SECTION 3: Composition/information on ingredients

3.1 Substances

not relevant (mixture)

3.2 Mixtures

Description of the mixture

| Hazardous ingredients | | | | | |
|-----------------------|--|-----|---|---|--|
| Name of substance | Identifier | Wt% | Classification acc. to GHS | Pictograms | Specific Conc. Limits |
| hydrofluoric acid | CAS No 7664-39-3 EC No 231-634-8 Index No 009-003-00-1 REACH Reg. No 01-2119458860-33 | 20 | Met. Corr. 1 / H290 Acute Tox. 2 / H300 Acute Tox. 1 / H310 Acute Tox. 2 / H330 Skin Corr. 1A / H314 Eye Dam. 1 / H318 |   | Skin Corr. 1A; H314: C ≥ 7 % Skin Corr. 1B; H314: 1 % ≤ C < 7 % Eye Dam. 1; H318: C ≥ 1 % Eye Irrit. 2; H319: 0.1 % ≤ C < 1 % |

SECTION 4: First aid measures

4.1 Description of first aid measures

General notes

Self-protection of the first aider.

Remove victim out of the danger area.

Take off immediately all contaminated clothing.

Symptoms may develop several hours following exposure; medical observation therefore necessary for at least 48 hours.

In all cases of doubt, or when symptoms persist, seek medical advice.

In case of unconsciousness place person in the recovery position. Never give anything by mouth.

Hydrofluoric acid 20%

Following inhalation

Provide fresh air.

Mouth to mouth resuscitation should be avoided. Use alternative methods, preferably with oxygen or compressed air driven apparatus.

If breathing is irregular or stopped, immediately seek medical assistance and start first aid actions.

Following skin contact

After contact with skin, take off immediately all contaminated clothing, and wash immediately with plenty of water and soap.

Rub with a gel containing calcium gluconate.

Call a physician immediately. Causes poorly healing wounds.

Following eye contact

In case of contact with eyes, rinse immediately with plenty of water and seek medical advice.

Remove contact lenses, if present and easy to do. Continue rinsing.

Rinse copiously with a calcium gluconate solution.

Following ingestion

Rinse mouth immediately and drink plenty of water.

Do NOT induce vomiting.

Drink 1% calcium gluconate solution in small sips (if not available: alternatively milk or chalk slurry, otherwise water).

Call a physician in any case.

Notes for the doctor

none

4.2 Most important symptoms and effects, both acute and delayed

Nausea, Vomiting.

Causes poorly healing wounds.

Fatal if swallowed, in contact with skin or if inhaled.

Causes severe skin burns and eye damage.

4.3 Indication of any immediate medical attention and special treatment needed

Decontamination techniques.

Rinse copiously with a calcium gluconate solution.

Rub with a gel containing calcium gluconate.

Subsequent observance for pneumonia and pulmonary oedema.

SECTION 5: Firefighting measures

5.1 Extinguishing media

Suitable extinguishing media

co-ordinate firefighting measures to the fire surroundings

Unsuitable extinguishing media

water jet

Hydrofluoric acid 20%

5.2 Special hazards arising from the substance or mixture

Hazardous decomposition products: Section 10.
Substance or mixture corrosive to metals.

Hazardous combustion products

hydrogen fluoride (HF), pyrolysis products, toxic, Corrosive gases / vapors

5.3 Advice for firefighters

Non-combustible.

In case of fire and/or explosion do not breathe fumes.

Co-ordinate firefighting measures to the fire surroundings.

Do not allow firefighting water to enter drains or water courses.

Collect contaminated firefighting water separately.

Fight fire with normal precautions from a reasonable distance.

Special protective equipment for firefighters

use suitable breathing apparatus

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

For non-emergency personnel

Remove persons to safety.

Ventilate affected area.

Do not get in eyes, on skin, or on clothing.

Do not breathe dust/fume/gas/mist/vapours/spray.

Wearing of suitable protective equipment (including personal protective equipment referred to under Section 8 of the safety data sheet) to prevent any contamination of skin, eyes and personal clothing.

For emergency responders

Wear breathing apparatus if exposed to vapours/dust/spray/gases.

Warning and evacuating people in the neighbourhood.

6.2 Environmental precautions

In case of formation of gases/vapours/mists suppress with water spray

Keep away from drains, surface and ground water.

Retain contaminated washing water and dispose of it.

If substance has entered a water course or sewer, inform the responsible authority.

6.3 Methods and material for containment and cleaning up

Advices on how to clean up a spill

Collect spillage.

Absorbent material (e.g. sand, diatomaceous earth, acid binder, universal binder, sawdust, etc.).

Appropriate containment techniques

Neutralisation techniques.

Use of adsorbent materials.

Hydrofluoric acid 20%

Other information relating to spills and releases

Place in appropriate containers for disposal.
Ventilate affected area.

6.4 Reference to other sections

Hazardous combustion products: see section 5.
Personal protective equipment: see section 8.
Incompatible materials: see section 10.
Disposal considerations: see section 13.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Local and general ventilation.
Avoid contact with skin and eyes.
Handle and open container with care.

Measures to prevent fire as well as aerosol and dust generation

Use local and general ventilation.
Never add water to this product.
Non-combustible.

Specific notes/details

Avoid exposure - obtain special instructions before use.

Handling of incompatible substances or mixtures

Do not mix with alkali.
Do not mix with oxidiser

Measures to protect the environment

Avoid release to the environment.

Advice on general occupational hygiene

Do not eat, drink and smoke in work areas.
Remove contaminated clothing and protective equipment before entering eating areas.
Wash hands after use.
Preventive skin protection (barrier creams/ointments) is recommended.
Never keep food or drink in the vicinity of chemicals.
Wash contaminated clothing before reuse.

7.2 Conditions for safe storage, including any incompatibilities

Corrosive conditions

Store in corrosive resistant container with a resistant inner liner.

Flammability hazards

None.

Incompatible substances or mixtures

Incompatible materials: see section 10.

Hydrofluoric acid 20%

Protect against external exposure, such as

heat, frost, sunlight

Consideration of other advice

Keep away from food, drink and animal feedingstuffs.

Ventilation requirements

Keep any substance that emits harmful vapours or gases in a place that allows these to be permanently extracted.

Provision of sufficient ventilation.

Specific designs for storage rooms or vessels

Store locked up.

Keep container tightly closed and in a well-ventilated place.

Keep in a cool place.

Packaging compatibilities

Keep only in original container.

Only packagings which are approved (e.g. acc. to ADR) may be used.

7.3 Specific end use(s)

No information available.

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

| Occupational exposure limit values (Workplace Exposure Limits) | | | | | | | | |
|--|-------------------|-----------|------------|-----------|--------------------------|------------|---------------------------|------------|
| Country | Name of agent | CAS No | Identifier | TWA [ppm] | TWA [mg/m ³] | STEL [ppm] | STEL [mg/m ³] | Source |
| EU | hydrogen fluoride | 7664-39-3 | IOELV | 1.8 | 1.5 | 3 | 2.5 | 2000/39/EC |
| GB | hydrogen fluoride | 7664-39-3 | WEL | 1.8 | 1.5 | 3 | 2.5 | EH40/2005 |

Notation

STEL short-term exposure limit: a limit value above which exposure should not occur and which is related to a 15-minute period (unless otherwise specified)

TWA time-weighted average (long-term exposure limit): measured or calculated in relation to a reference period of 8 hours time-weighted average (unless otherwise specified)

| Relevant DNELs of components of the mixture | | | | | | |
|---|-----------|----------|-----------------------|------------------------------------|-------------------|----------------------------|
| Name of substance | CAS No | Endpoint | Threshold level | Protection goal, route of exposure | Used in | Exposure time |
| hydrofluoric acid | 7664-39-3 | DNEL | 1.5 mg/m ³ | human, inhalatory | worker (industry) | chronic - systemic effects |

Hydrofluoric acid 20%

| Relevant PNECs of components of the mixture | | | | |
|---|-----------|----------|-----------------|------------------------------|
| Name of substance | CAS No | Endpoint | Threshold level | Environmental compartment |
| hydrofluoric acid | 7664-39-3 | PNEC | 0.9 mg/l | freshwater |
| hydrofluoric acid | 7664-39-3 | PNEC | 0.9 mg/l | marine water |
| hydrofluoric acid | 7664-39-3 | PNEC | 51 mg/l | sewage treatment plant (STP) |
| hydrofluoric acid | 7664-39-3 | PNEC | 11 mg/kg | soil |

8.2 Exposure controls

Appropriate engineering controls

Local and general ventilation.

Individual protection measures (personal protective equipment)

Eye/face protection

Wear eye/face protection.

Use safety goggles with side protection.

Wear face-shield.

Hand protection

| Protective gloves | | |
|-----------------------|--------------------|--|
| Material | Material thickness | Breakthrough times of the glove material |
| FKM: fluoro-elastomer | ≥ 0,7 mm | >480 minutes (permeation: level 6) |

Wear suitable gloves.

Chemical protection gloves are suitable, which are tested according to EN 374.

Check leak-tightness/impermeability prior to use.

In the case of wanting to use the gloves again, clean them before taking off and air them well.

Respiratory protection

In case of inadequate ventilation wear respiratory protection.

Type: E (against acidic gases like sulphur dioxide or hydrogen chloride, colour code: Yellow).

E-P2/P3.

Self-contained breathing apparatus.

Environmental exposure controls

Use appropriate container to avoid environmental contamination.

Keep away from drains, surface and ground water.

Hydrofluoric acid 20%

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

Appearance

| | |
|-----------------|-------------------------------------|
| Physical state | liquid |
| Form | fluid |
| Colour | colourless |
| Odour | stinging |
| Odour threshold | these information are not available |

Other safety parameters

| | |
|---|-------------------------------------|
| pH (value) | <1 (20 °C) acid |
| Melting point/freezing point | ~-30 °C, (40%) |
| Initial boiling point and boiling range | ~108 °C |
| Flash point | not applicable |
| Evaporation rate | these information are not available |
| Flammability (solid, gas) | not relevant (fluid) |

Explosive limits

Lower explosion limit (LEL) these information are not available

Upper explosion limit (UEL) these information are not available

Vapour pressure
13 hPa at 20 °C
43 Pa at 40 °C
(40%)

Density
1.06 g/cm³ at 20 °C
(40%)

Vapour density these information are not available

Relative density these information are not available

Solubility(ies)

Water solubility miscible in any proportion

Partition coefficient

n-octanol/water (log KOW) these information are not available

Auto-ignition temperature these information are not available

Relative self-ignition temperature for solids
not relevant
(Fluid)

Hydrofluoric acid 20%

Decomposition temperature these information are not available

Viscosity

Kinematic viscosity these information are not available

Dynamic viscosity these information are not available

Explosive properties not explosive

Oxidising properties shall not be classified as oxidising

9.2 Other information

None

SECTION 10: Stability and reactivity

10.1 Reactivity

Substance or mixture corrosive to metals.
Reactions with light metals to form hydrogen.

10.2 Chemical stability

See below "Conditions to avoid".

10.3 Possibility of hazardous reactions

Strong exothermic reaction with strong alkalis, Oxidiser
Light metals (due to the release of hydrogen in an acid/alkaline medium).

10.4 Conditions to avoid

Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.
May be corrosive to metals.
Frost.
Containments may explode when heated.

10.5 Incompatible materials

bases, oxidisers, alkali metal, metal, sulphuric acid, Chlorsulfonsäure (chlorosulfonic acid), fluorine, permanganates, e.g. potassium permanganate, phosphorus oxides (P_xO_y), glass

10.6 Hazardous decomposition products

Hazardous combustion products: see section 5.

As a result of heating:

hydrogen fluoride (HF)

Hydrofluoric acid 20%

SECTION 11: Toxicological information

11.1 Information on toxicological effects

Classification procedure

If not otherwise specified the classification is based on:
Ingredients of the mixture (additivity formula).

Classification according to GHS (1272/2008/EC, CLP)

Acute toxicity

Fatal if swallowed.
Fatal in contact with skin.
Toxic if inhaled.

Acute toxicity estimate (ATE)

Oral 25 mg/kg
Dermal 25 mg/kg
Inhalation: vapour 2.5 mg/l/4h

| Acute toxicity estimate (ATE) of components of the mixture | | | |
|--|-----------|--------------------|-------------|
| Name of substance | CAS No | Exposure route | ATE |
| hydrofluoric acid | 7664-39-3 | oral | 5 mg/kg |
| hydrofluoric acid | 7664-39-3 | dermal | 5 mg/kg |
| hydrofluoric acid | 7664-39-3 | inhalation: vapour | 0.5 mg/l/4h |

| Acute toxicity of components of the mixture | | | | | | | |
|---|-----------|--------------------|-----------|-----------------------------|---------|--------|--------|
| Name of substance | CAS No | Exposure route | End-point | Value | Species | Method | Source |
| hydrofluoric acid | 7664-39-3 | inhalation: vapour | LC50 | 1,276 mg/m ³ /1h | rat | | RTECS |

Skin corrosion/irritation

Causes severe skin burns and eye damage.

Classification procedure

The classification is based on an extreme pH value.

Serious eye damage/eye irritation

Causes serious eye damage.

Hydrofluoric acid 20%

Respiratory or skin sensitisation

Skin sensitisation

Shall not be classified as a skin sensitiser.

Respiratory sensitisation

Classification could not be established because:

Data are lacking, inconclusive, or conclusive but not sufficient for classification.

Germ cell mutagenicity

Classification could not be established because:

Data are lacking, inconclusive, or conclusive but not sufficient for classification.

Carcinogenicity

Shall not be classified as carcinogenic.

Reproductive toxicity

Classification could not be established because:

Data are lacking, inconclusive, or conclusive but not sufficient for classification.

Specific target organ toxicity - single exposure

Classification could not be established because:

Data are lacking, inconclusive, or conclusive but not sufficient for classification.

Specific target organ toxicity - repeated exposure

Classification could not be established because:

Data are lacking, inconclusive, or conclusive but not sufficient for classification.

Aspiration hazard

Shall not be classified as presenting an aspiration hazard.

SECTION 12: Ecological information

12.1 Toxicity

Aquatic toxicity (acute)

Test data are not available for the complete mixture.

Aquatic toxicity (acute) of components of the mixture

| Name of substance | CAS No | Endpoint | Value | Species | Method | Source | Exposure time |
|-------------------|-----------|----------|--------------|-------------|--------|--------|---------------|
| hydrofluoric acid | 7664-39-3 | EC50 | 26 - 48 mg/l | Trichoptera | | ECHA | 96 h |
| hydrofluoric acid | 7664-39-3 | EC50 | 43 mg/l | algae | | ECHA | 96 h |

Aquatic toxicity (chronic)

Test data are not available for the complete mixture.

Hydrofluoric acid 20%

Aquatic toxicity (chronic) of components of the mixture

| Name of substance | CAS No | Endpoint | Value | Species | Method | Source | Exposure time |
|-------------------|-----------|----------|-----------|---------------|--------|--------|---------------|
| hydrofluoric acid | 7664-39-3 | NOEC | 14.1 mg/l | daphnia magna | | ECHA | 21 d |

12.2 Persistence and degradability

Biodegradation

The study does not need to be conducted, the relevant substances in the mixture are inorganic.

Persistence

Data are not available.

12.3 Bioaccumulative potential

Data are not available.

Bioaccumulative potential of components of the mixture

| Name of substance | CAS No | BCF |
|-------------------|-----------|---------|
| hydrofluoric acid | 7664-39-3 | 53 – 58 |

12.4 Mobility in soil

Data are not available.

12.5 Results of PBT and vPvB assessment

This mixture does not contain any substances that are assessed to be a PBT or a vPvB.

12.6 Other adverse effects

Data are not available.

Endocrine disrupting potential

None of the ingredients are listed.

Remarks

Wassergefährdungsklasse, WGK (water hazard class): 2

Do not empty into drains or surface water.

PH extreme: Before discharge of the waste water into a municipal waste water treatment facility the product normally needs to be neutralised.

Hydrofluoric acid 20%

SECTION 13: Disposal considerations

13.1 Waste treatment methods

This material and its container must be disposed of as hazardous waste.

Sewage disposal-relevant information

Do not empty into drains.

Waste treatment of containers/packagings

It is a dangerous waste; only packagings which are approved (e.g. acc. to ADR) may be used. Handle contaminated packages in the same way as the substance itself.

Remarks

Please consider the relevant national or regional provisions.

SECTION 14: Transport information

| | | |
|------|--|--|
| 14.1 | UN number | 1790. |
| 14.2 | UN proper shipping name | HYDROFLUORIC ACID |
| 14.3 | Transport hazard class(es) | |
| | Class | 8 |
| | Subsidiary risk(s) | 6.1 (acute toxicity) |
| 14.4 | Packing group | II |
| 14.5 | Environmental hazards | non-environmentally hazardous acc. to the dangerous goods regulations |
| 14.6 | Special precautions for user | |
| | | Provisions for dangerous goods (ADR) should be complied within the premises. |
| 14.7 | Transport in bulk according to Annex II of MARPOL and the IBC Code | |
| | | The cargo is not intended to be carried in bulk. |
| 14.8 | <u>Information for each of the UN Model Regulations</u> | |
| | Transport of dangerous goods by road, rail and inland waterway (ADR/RID/ADN). | |
| | UN number | 1790 |
| | Proper shipping name | UN1790, HYDROFLUORIC ACID, 8 (6.1), II, (E) |
| | Class | 8 |
| | Classification code | CT1 |
| | Packing group | II |
| | Danger label(s) | 8+6.1 |

Hydrofluoric acid 20%



| | |
|-------------------------------|----------|
| Special provisions (SP) | 802(ADN) |
| Excepted quantities (EQ) | E2 |
| Limited quantities (LQ) | 1 L |
| Transport category (TC) | 2. |
| Tunnel restriction code (TRC) | E |
| Hazard identification No | 86 |
| Emergency Action Code | 2W |

International Maritime Dangerous Goods Code (IMDG)

| | |
|----------------------|--|
| UN number | 1790 |
| Proper shipping name | UN1790, HYDROFLUORIC ACID, 8 (6.1), II |
| Class | 8 |
| Subsidiary risk(s) | 6.1 |
| Marine pollutant | - |
| Packing group | II |
| Danger label(s) | 8+6.1 |



| | |
|--------------------------|------------|
| Special provisions (SP) | - |
| Excepted quantities (EQ) | E2 |
| Limited quantities (LQ) | 1 L |
| EmS | F-A, S-B |
| Stowage category | D |
| Segregation group | 1 - Acids. |

International Civil Aviation Organization (ICAO-IATA/DGR)

| | |
|----------------------|--|
| UN number | 1790 |
| Proper shipping name | UN1790, Hydrofluoric acid, 8 (6.1), II |
| Class | 8 |
| Subsidiary risk(s) | 6.1 |
| Packing group | II |
| Danger label(s) | 8+6.1 |

Hydrofluoric acid 20%



Excepted quantities (EQ)

E2

Limited quantities (LQ)

0,5 L

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

Relevant provisions of the European Union (EU)

Restrictions according to REACH, Annex XVII

| Dangerous substances with restrictions (REACH, Annex XVII) | | | | |
|--|--|-------------------------|-------------|----|
| Name of substance | Name acc. to inventory | Type of registration | Restriction | No |
| Hydrofluoric acid 20% | this product meets the criteria for classification in accordance with Regulation No 1272/2008/EC | 1907/2006/EC annex XVII | R3 | 3 |

Legend

- R3
1. Shall not be used in:
 - ornamental articles intended to produce light or colour effects by means of different phases, for example in ornamental lamps and ashtrays,
 - tricks and jokes,
 - games for one or more participants, or any article intended to be used as such, even with ornamental aspects,
 2. Articles not complying with paragraph 1 shall not be placed on the market.
 3. Shall not be placed on the market if they contain a colouring agent, unless required for fiscal reasons, or perfume, or both, if they:
 - can be used as fuel in decorative oil lamps for supply to the general public, and,
 - present an aspiration hazard and are labelled with R65 or H304,
 4. Decorative oil lamps for supply to the general public shall not be placed on the market unless they conform to the European Standard on Decorative oil lamps (EN 14059) adopted by the European Committee for Standardisation (CEN).
 5. Without prejudice to the implementation of other Community provisions relating to the classification, packaging and labelling of dangerous substances and mixtures, suppliers shall ensure, before the placing on the market, that the following requirements are met:
 - (a) lamp oils, labelled with R65 or H304, intended for supply to the general public are visibly, legibly and indelibly marked as follows: 'Keep lamps filled with this liquid out of the reach of children'; and, by 1 December 2010, 'Just a sip of lamp oil - or even sucking the wick of lamps - may lead to life-threatening lung damage';
 - (b) grill lighter fluids, labelled with R65 or H304, intended for supply to the general public are legibly and indelibly marked by 1 December 2010 as follows: 'Just a sip of grill lighter may lead to life threatening lung damage';
 - (c) lamp oils and grill lighters, labelled with R65 or H304, intended for supply to the general public are packaged in black opaque containers not exceeding 1 litre by 1 December 2010.
 6. No later than 1 June 2014, the Commission shall request the European Chemicals Agency to prepare a dossier, in accordance with Article 69 of the present Regulation with a view to ban, if appropriate, grill lighter fluids and fuel for decorative lamps, labelled R65 or H304, intended for supply to the general public.
 7. Natural or legal persons placing on the market for the first time lamp oils and grill lighter fluids, labelled with R65 or H304, shall by 1 December 2011, and annually thereafter, provide data on alternatives to lamp oils and grill lighter fluids labelled R65 or H304 to the competent authority in the Member State concerned. Member States shall make those data available to the Commission.

Hydrofluoric acid 20%

List of substances subject to authorisation (REACH, Annex XIV) / SVHC - candidate list

none of the ingredients are listed

Seveso Directive

| 2012/18/EU (Seveso III) | | | |
|-------------------------|---------------------------------------|---|-------|
| No | Dangerous substance/hazard categories | Qualifying quantity (tonnes) for the application of lower and upper-tier requirements | Notes |
| H1 | acute toxic (cat. 1) | 5 20 | 40) |

Notation

40) category 1, all exposure routes

Directive 2011/65/EU on the restriction of the use of certain hazardous substances in electrical and electronic equipment (RoHS) - Annex II

none of the ingredients are listed

Regulation 166/2006/EC concerning the establishment of a European Pollutant Release and Transfer Register (PRTR)

none of the ingredients are listed

Directive 2000/60/EC establishing a framework for Community action in the field of water policy (WFD)

none of the ingredients are listed

Regulation 98/2013/EU on the marketing and use of explosives precursors

none of the ingredients are listed

15.2 Chemical Safety Assessment

No Chemical Safety Assessment has been carried out for this mixture by the supplier.

SECTION 16: Other information

Indication of changes (revised safety data sheet)

Indication of changes: Section 2, 5, 8, 15

Abbreviations and acronyms

| Abbr. | Descriptions of used abbreviations |
|------------|---|
| 2000/39/EC | Comission Directive establishing a first list of indicative occupational exposure limit values in implementation of Council Directive 98/24/EC |
| Acute Tox. | Acute toxicity |
| ADN | Accord européen relatif au transport international des marchandises dangereuses par voies de navigation intérieures (European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways) |

Hydrofluoric acid 20%

| Abbr. | Descriptions of used abbreviations |
|------------|---|
| ADR | Accord européen relatif au transport international des marchandises dangereuses par route (European Agreement concerning the International Carriage of Dangerous Goods by Road) |
| ATE | Acute Toxicity Estimate |
| BCF | Bioconcentration factor |
| CAS | Chemical Abstracts Service (service that maintains the most comprehensive list of chemical substances) |
| CLP | Regulation (EC) No 1272/2008 on classification, labelling and packaging of substances and mixtures |
| DGR | Dangerous Goods Regulations (see IATA/DGR) |
| DNEL | Derived No-Effect Level |
| EC No | The EC Inventory (EINECS, ELINCS and the NLP-list) is the source for the seven-digit EC number, an identifier of substances commercially available within the EU (European Union) |
| EH40/2005 | EH40/2005 Workplace exposure limits (http://www.nationalarchives.gov.uk/doc/open-government-licence/) |
| EINECS | European Inventory of Existing Commercial Chemical Substances |
| ELINCS | European List of Notified Chemical Substances |
| EmS | Emergency Schedule |
| Eye Dam. | Seriously damaging to the eye |
| Eye Irrit. | Irritant to the eye |
| GHS | "Globally Harmonized System of Classification and Labelling of Chemicals" developed by the United Nations |
| IATA | International Air Transport Association |
| IATA/DGR | Dangerous Goods Regulations (DGR) for the air transport (IATA) |
| ICAO | International Civil Aviation Organization |
| IMDG | International Maritime Dangerous Goods Code |
| index No | The Index number is the identification code given to the substance in Part 3 of Annex VI to Regulation (EC) No 1272/2008 |
| IOELV | Indicative occupational exposure limit value |
| MARPOL | International Convention for the Prevention of Pollution from Ships (abbr. of "Marine Pollutant") |
| Met. Corr. | Substance or mixture corrosive to metals |
| NLP | No-Longer Polymer |
| PBT | Persistent, Bioaccumulative and Toxic |
| PNEC | Predicted No-Effect Concentration |
| ppm | Parts per million |
| REACH | Registration, Evaluation, Authorisation and Restriction of Chemicals |
| RID | Règlement concernant le transport International ferroviaire des marchandises Dangereuses (Regulations concerning the International carriage of Dangerous goods by Rail) |

Hydrofluoric acid 20%

| Abbr. | Descriptions of used abbreviations |
|-------------|--|
| Skin Corr. | Corrosive to skin |
| Skin Irrit. | Irritant to skin |
| STEL | Short-term exposure limit |
| SVHC | Substance of Very High Concern |
| TWA | Time-weighted average |
| vPvB | Very Persistent and very Bioaccumulative |
| WEL | Workplace exposure limit |

Key literature references and sources for data

Regulation (EC) No 1272/2008 on classification, labelling and packaging of substances and mixtures.
Regulation (EC) No. 1907/2006 (REACH), amended by 2015/830/EU.

Transport of dangerous goods by road, rail and inland waterway (ADR/RID/ADN).

International Maritime Dangerous Goods Code (IMDG).

Dangerous Goods Regulations (DGR) for the air transport (IATA).

Classification procedure

Physical and chemical properties.

Health hazards.

Environmental hazards.

The method for classification of the mixture is based on ingredients of the mixture (additivity formula).

List of relevant phrases (code and full text as stated in chapter 2 and 3)

| Code | Text |
|------|--|
| H290 | May be corrosive to metals. |
| H300 | Fatal if swallowed. |
| H310 | Fatal in contact with skin. |
| H314 | Causes severe skin burns and eye damage. |
| H318 | Causes serious eye damage. |
| H330 | Fatal if inhaled. |
| H331 | Toxic if inhaled. |

Responsible for the safety data sheet

C.S.B. GmbH
Düsseldorfer Str. 113
47809 Krefeld, Germany

Telephone: +49 (0) 2151 - 652086 - 0
Telefax: +49 (0) 2151 - 652086 - 9
e-Mail: info@csb-online.de
Website: www.csb-online.de

Disclaimer

This information is based upon the present state of our knowledge.
This SDS has been compiled and is solely intended for this product.