



# Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH)

## Hydrogen peroxide 20% - < 22%

Version number: 1.0

First version: 2018-06-22

### SECTION 1: Identification of the substance/mixture and of the company/undertaking

#### 1.1 Product identifier

Trade name	<u>Hydrogen peroxide 20% - &lt; 22%</u>
Registration number (REACH)	not relevant (mixture)
CAS number	not relevant (mixture)

#### 1.2 Relevant identified uses of the substance or mixture and uses advised against

Relevant identified uses	Bleaching agent Chemicals for various applications Oxidizing agent Water treatment Textile auxiliary Metal surface treatment Additive for paper production Additive for cosmetic preparations
--------------------------	--

#### 1.3 Details of the supplier of the safety data sheet

BERGCHEMIE J.C.Bröcking & Co. GmbH Rudolfstrasse 14 42285 Wuppertal Germany	Telephone: ++49 (0) 202 - 45 60 60 Telefax: ++49 (0) 202 / 44 79 32
--	--

**e-mail (competent person)** [sdb@csb-online.de](mailto:sdb@csb-online.de)

Please do not use this e-mail adress to ask for the latest safety data sheet. For this purpose contact BERGCHEMIE J.C.Bröcking & Co. GmbH.

#### 1.4 Emergency telephone number

As above or next toxicological information centre.

### SECTION 2: Hazards identification

#### 2.1 Classification of the substance or mixture

Classification according to Regulation (EC) No 1272/2008 (CLP)

Classification				
Section	Hazard class	Category	Hazard class and category	Hazard statement
3.3	serious eye damage/eye irritation	1	Eye Dam. 1	H318

# Hydrogen peroxide 20% - < 22%

for full text of abbreviations: see SECTION 16

## 2.2 Label elements

### Labelling according to Regulation (EC) No 1272/2008 (CLP)

**Signal word** danger

### Pictograms

**GHS05**



### Hazard statements

**H318** Causes serious eye damage.

### Precautionary statements

**P280** Wear protective gloves/protective clothing/eye protection/face protection.

**P305+P351+P338** IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

**P310** Immediately call a POISON CENTER/doctor.

**Hazardous ingredients for labelling** hydrogen peroxide

## 2.3 Other hazards

Strong oxidiser.

If heated spontaneous decomposition.

### Results of PBT and vPvB assessment

This mixture does not contain any substances that are assessed to be a PBT or a vPvB.

## SECTION 3: Composition/information on ingredients

### 3.1 Substances

not relevant (mixture)

### 3.2 Mixtures

#### Description of the mixture

Hazardous ingredients					
Name of substance	Identifier	Wt%	Classification acc. to GHS	Pictograms	Specific Conc. Limits
hydrogen peroxide	CAS No 7722-84-1  EC No 231-765-0  REACH Reg. No 01-2119485845-	≥ 20 - < 22	Ox. Liq. 1 / H271 Acute Tox. 4 / H302 Acute Tox. 4 / H332 Skin Corr. 1A / H314 Eye Dam. 1 / H318 STOT SE 3 / H335 Aquatic Chronic 3 / H412		Ox. Liq. 1; H271: C ≥ 70 % Ox. Liq. 2; H272: 50 % ≤ C < 70 % Skin Corr. 1A; H314: C ≥ 70 % Skin Corr. 1B; H314: 50 % ≤ C < 70 %

## Hydrogen peroxide 20% - < 22%

Hazardous ingredients					
Name of substance	Identifier	Wt%	Classification acc. to GHS	Pictograms	Specific Conc. Limits
	22				Skin Irrit. 2; H315: 35 % ≤ C < 50 % Eye Dam. 1; H318: C ≥ 8 % Eye Irrit. 2; H319: 5 % ≤ C < 8 % STOT SE 3; H335: C ≥ 35 % Aquatic Chronic 3; H412: C ≥ 63 %

### SECTION 4: First aid measures

#### 4.1 Description of first aid measures

##### General notes

Remove affected person from the danger area and lay down.  
 Do not leave affected person unattended.  
 Self-protection of the first aider.

##### Following inhalation

Provide fresh air.  
 If breathing is irregular or stopped, immediately seek medical assistance and start first aid actions.  
 In case of unconsciousness place person in the recovery position. Never give anything by mouth.

##### Following skin contact

Take off contaminated clothing.  
 Wash with plenty of soap and water.  
 If skin irritation occurs: Get medical advice/attention.

##### Following eye contact

In case of contact with eyes, rinse immediately with plenty of water and seek medical advice.  
 Remove contact lenses, if present and easy to do. Continue rinsing.

##### Following ingestion

Rinse mouth immediately and drink plenty of water.  
 Do NOT induce vomiting.  
 Observe aspiration hazard if vomiting occurs.

##### Notes for the doctor

none

#### 4.2 Most important symptoms and effects, both acute and delayed

Pulmonary oedema.  
 Subsequent observance for pneumonia and pulmonary oedema.

# Hydrogen peroxide 20% - < 22%

---

## 4.3 Indication of any immediate medical attention and special treatment needed

none

## SECTION 5: Firefighting measures

### 5.1 Extinguishing media

#### Suitable extinguishing media

excess of water, water spray, water mist

#### Unsuitable extinguishing media

organic materials

### 5.2 Special hazards arising from the substance or mixture

Hazardous decomposition products: Section 10.

### 5.3 Advice for firefighters

Keep containers cool with water spray.

Oxidising property.

In case of fire and/or explosion do not breathe fumes.

Co-ordinate firefighting measures to the fire surroundings.

Do not allow firefighting water to enter drains or water courses.

Collect contaminated firefighting water separately.

Fight fire with normal precautions from a reasonable distance.

Containments may explode when heated.

#### Special protective equipment for firefighters

use suitable breathing apparatus

## SECTION 6: Accidental release measures

### 6.1 Personal precautions, protective equipment and emergency procedures

#### For non-emergency personnel

Remove persons to safety.

Ventilate affected area.

Avoid contact with skin and eyes.

Wearing of suitable protective equipment (including personal protective equipment referred to under Section 8 of the safety data sheet) to prevent any contamination of skin, eyes and personal clothing.

#### For emergency responders

Wear breathing apparatus if exposed to vapours/dust/spray/gases.

### 6.2 Environmental precautions

In case of formation of gases/vapours/mists, suppress with water spray.

Keep away from drains, surface and ground water.

Retain contaminated washing water and dispose of it.

# Hydrogen peroxide 20% - < 22%

---

## 6.3 Methods and material for containment and cleaning up

### Advices on how to clean up a spill

Collect spillage.

Absorbent material (e.g. sand, diatomaceous earth, acid binder, universal binder, sawdust, etc.).

### Appropriate containment techniques

Use of adsorbent materials.

Never use:

organic absorbing material, pulp/paper

### Other information relating to spills and releases

Place in appropriate containers for disposal.

Ventilate affected area.

## 6.4 Reference to other sections

Personal protective equipment: see section 8.

Incompatible materials: see section 10.

Disposal considerations: see section 13.

## SECTION 7: Handling and storage

### 7.1 Precautions for safe handling

Avoid contact with skin and eyes.

Avoid breathing mist/vapours/spray.

**A T T E N T I O N:**

Contaminated organic solids (like textiles/paper) may ignite without an external source of ignition (self ignition) after the water is evaporated. Wash contaminated material at once with plenty of water.

### Measures to prevent fire as well as aerosol and dust generation

Use local and general ventilation.

### Specific notes/details

None.

### Measures to protect the environment

Avoid release to the environment.

### Advice on general occupational hygiene

Do not eat, drink and smoke in work areas.

Wash hands after use.

Preventive skin protection (barrier creams/ointments) is recommended.

Remove contaminated clothing and protective equipment before entering eating areas.

### 7.2 Conditions for safe storage, including any incompatibilities

#### Flammability hazards

None.

# Hydrogen peroxide 20% - < 22%

## Incompatible substances or mixtures

Incompatible materials: see section 10.

Keep/store away from combustible materials.

Avoid mixing with flammable or combustible substances (e.g. sawdust).

Keep away from reducing agents, heavy metal compounds, acids and alkalis.

## Protect against external exposure, such as

heat, frost, sunlight, direct light irradiation

## Consideration of other advice

Keep away from food, drink and animal feedingstuffs.

## Ventilation requirements

Provision of sufficient ventilation.

## Specific designs for storage rooms or vessels

Do not keep the container sealed.

## Packaging compatibilities

Only packagings which are approved (e.g. acc. to ADR) may be used.

Unsuitable materials:

Copper, bronze, brass.

Zinc.

Tin.

Iron and steel.

## 7.3 Specific end use(s)

No information available.

## SECTION 8: Exposure controls/personal protection

### 8.1 Control parameters

Occupational exposure limit values (Workplace Exposure Limits)									
Country	Name of agent	CAS No	Identifier	TWA [ppm]	TWA [mg/m <sup>3</sup> ]	STEL [ppm]	STEL [mg/m <sup>3</sup> ]	Notation	Source
GB	hydrogen peroxide	7722-84-1	WEL	1	1.4	2	2.8		EH40/2005

#### Notation

STEL short-term exposure limit: a limit value above which exposure should not occur and which is related to a 15-minute period (unless otherwise specified)

TWA time-weighted average (long-term exposure limit): measured or calculated in relation to a reference period of 8 hours time-weighted average (unless otherwise specified)

## Hydrogen peroxide 20% - < 22%

Relevant DNELs of components of the mixture						
Name of substance	CAS No	Endpoint	Threshold level	Protection goal, route of exposure	Used in	Exposure time
hydrogen peroxide	7722-84-1	DNEL	3 mg/m <sup>3</sup>	human, inhalatory	worker (industry)	acute - local effects
hydrogen peroxide	7722-84-1	DNEL	1.4 mg/m <sup>3</sup>	human, inhalatory	worker (industry)	chronic - local effects

Relevant PNECs of components of the mixture				
Name of substance	CAS No	Endpoint	Threshold level	Environmental compartment
hydrogen peroxide	7722-84-1	PNEC	0.013 mg/l	freshwater
hydrogen peroxide	7722-84-1	PNEC	0.013 mg/l	marine water
hydrogen peroxide	7722-84-1	PNEC	0.047 mg/kg	freshwater sediment
hydrogen peroxide	7722-84-1	PNEC	0.047 mg/kg	marine sediment
hydrogen peroxide	7722-84-1	PNEC	0.002 mg/kg	soil
hydrogen peroxide	7722-84-1	PNEC	4.66 mg/l	sewage treatment plant (STP)
hydrogen peroxide	7722-84-1	PNEC	0.013 mg/l	water

### 8.2 Exposure controls

#### Appropriate engineering controls

General ventilation.

#### Individual protection measures (personal protective equipment)

##### Eye/face protection

Wear eye/face protection.

##### Hand protection

Material	Material thickness	Breakthrough times of the glove material
NR: natural rubber, latex	≥ 0,6 mm	>480 minutes (permeation: level 6)
IIR: isobutene-isoprene (butyl) rubber	≥ 0,7 mm	>480 minutes (permeation: level 6)

Wear suitable gloves.

Chemical protection gloves are suitable, which are tested according to EN 374.

Check leak-tightness/impermeability prior to use.

In the case of wanting to use the gloves again, clean them before taking off and air them well.

For special purposes, it is recommended to check the resistance to chemicals of the protective gloves mentioned above together with the supplier of these gloves.

# Hydrogen peroxide 20% - < 22%

## Respiratory protection

In case of inadequate ventilation wear respiratory protection.

Type: A-P2 (combined filters against particles and organic gases and vapours, colour code: Brown/White).

## Environmental exposure controls

Use appropriate container to avoid environmental contamination.

Keep away from drains, surface and ground water.

## SECTION 9: Physical and chemical properties

### 9.1 Information on basic physical and chemical properties

#### Appearance

Physical state	liquid
Form	fluid
Colour	colourless
Odour	odourless
Odour threshold	these information are not available

#### Other safety parameters

pH (value)	these information are not available
Melting point/freezing point	<0 °C
Initial boiling point and boiling range	≥100 °C
Flash point	not applicable
Evaporation rate	these information are not available
Flammability (solid, gas)	not relevant (fluid)

#### Explosive limits

**Lower explosion limit (LEL)** these information are not available

**Upper explosion limit (UEL)** these information are not available

Vapour pressure these information are not available

Density 1.05 – 1.15 g/cm<sup>3</sup> at 20 °C

Vapour density these information are not available

Relative density these information are not available

#### Solubility(ies)

**Water solubility** miscible in any proportion



## Hydrogen peroxide 20% - < 22%

### Partition coefficient

n-octanol/water (log KOW)	-1.1
Auto-ignition temperature	these information are not available
Relative self-ignition temperature for solids	not relevant (Fluid)
Decomposition temperature	>60 °C

### Viscosity

<b>Kinematic viscosity</b>	these information are not available
<b>Dynamic viscosity</b>	~1.1 mPa s
Explosive properties	not explosive
Oxidising properties	shall not be classified as oxidising

### 9.2 Other information

None

## SECTION 10: Stability and reactivity

### 10.1 Reactivity

This material is not reactive under normal ambient conditions.

### 10.2 Chemical stability

The material is stable under normal ambient and anticipated storage and handling conditions of temperature and pressure.

### 10.3 Possibility of hazardous reactions

No known hazardous reactions.

### 10.4 Conditions to avoid

Keep away from heat.

### 10.5 Incompatible materials

reducing agents, Combustible materials, alkalis, keep away from metal salts

### 10.6 Hazardous decomposition products

Reasonably anticipated hazardous decomposition products produced as a result of use, storage, spill and heating are not known.

# Hydrogen peroxide 20% - < 22%

## SECTION 11: Toxicological information

### 11.1 Information on toxicological effects

#### Classification procedure

If not otherwise specified the classification is based on:  
Ingredients of the mixture (additivity formula).

#### Classification according to GHS (1272/2008/EC, CLP)

#### Acute toxicity

Acute toxicity estimate (ATE) of components of the mixture			
Name of substance	CAS No	Exposure route	ATE
hydrogen peroxide	7722-84-1	oral	417 mg/kg
hydrogen peroxide	7722-84-1	inhalation: vapour	11 mg/l/4h
hydrogen peroxide	7722-84-1	inhalation: dust/mist	1.5 mg/l/4h

#### Skin corrosion/irritation

Classification could not be established because:  
Data are lacking, inconclusive, or conclusive but not sufficient for classification.

#### Serious eye damage/eye irritation

Causes serious eye damage.

#### Respiratory or skin sensitisation

##### Skin sensitisation

Classification could not be established because:  
Data are lacking, inconclusive, or conclusive but not sufficient for classification.

##### Respiratory sensitisation

Classification could not be established because:  
Data are lacking, inconclusive, or conclusive but not sufficient for classification.

#### Germ cell mutagenicity

Classification could not be established because:  
Data are lacking, inconclusive, or conclusive but not sufficient for classification.

#### Carcinogenicity

Classification could not be established because:  
Data are lacking, inconclusive, or conclusive but not sufficient for classification.

#### Reproductive toxicity

Classification could not be established because:  
Data are lacking, inconclusive, or conclusive but not sufficient for classification.

#### Specific target organ toxicity - single exposure

Classification could not be established because:  
Data are lacking, inconclusive, or conclusive but not sufficient for classification.

# Hydrogen peroxide 20% - < 22%

## Specific target organ toxicity - repeated exposure

Classification could not be established because:

Data are lacking, inconclusive, or conclusive but not sufficient for classification.

## Aspiration hazard

Shall not be classified as presenting an aspiration hazard.

## SECTION 12: Ecological information

### 12.1 Toxicity

#### Aquatic toxicity (acute)

Test data are not available for the complete mixture.

#### Aquatic toxicity (acute) of components of the mixture

Aquatic toxicity (acute) of components of the mixture							
Name of substance	CAS No	Endpoint	Value	Species	Method	Source	Exposure time
hydrogen peroxide	7722-84-1	LC50	2.4 mg/l	daphnia pulex		ECHA	48 h
hydrogen peroxide	7722-84-1	LC50	16.4 mg/l	fathead minnow (pimephales promelas)		ECHA	96 h
hydrogen peroxide	7722-84-1	ErC50	1.38 mg/l	algae (Sceletonema costatum)	aris Commission guidelines (1990) for testing of offshore chemicals and drilling muds	ECHA	72 h

#### Aquatic toxicity (chronic)

Test data are not available for the complete mixture.

#### Aquatic toxicity (chronic) of components of the mixture

Aquatic toxicity (chronic) of components of the mixture							
Name of substance	CAS No	Endpoint	Value	Species	Method	Source	Exposure time
hydrogen peroxide	7722-84-1	EC50	466 mg/l	microorganisms	OECD Guideline 209	ECHA	30 min

## Hydrogen peroxide 20% - < 22%

Aquatic toxicity (chronic) of components of the mixture							
Name of substance	CAS No	Endpoint	Value	Species	Method	Source	Exposure time
hydrogen peroxide	7722-84-1	EC50	>1,000 mg/l	microorganisms	OECD Guideline 209	ECHA	3 h
hydrogen peroxide	7722-84-1	NOEC	0.63 mg/l	daphnia magna		ECHA	21 d
hydrogen peroxide	7722-84-1	LOEC	1.25 mg/l	daphnia magna		ECHA	21 d

### 12.2 Persistence and degradability

#### Biodegradation

Data are not available.

#### Persistence

Data are not available.

### 12.3 Bioaccumulative potential

Data are not available.

### 12.4 Mobility in soil

Data are not available.

### 12.5 Results of PBT and vPvB assessment

This mixture does not contain any substances that are assessed to be a PBT or a vPvB.

### 12.6 Other adverse effects

Data are not available.

#### Endocrine disrupting potential

None of the ingredients are listed.

#### Remarks

Wassergefährdungsklasse, WGK (water hazard class): 1

## SECTION 13: Disposal considerations

### 13.1 Waste treatment methods

This material and its container must be disposed of as hazardous waste.

#### Sewage disposal-relevant information

Do not empty into drains.

#### Waste treatment of containers/packagings

It is a dangerous waste; only packagings which are approved (e.g. acc. to ADR) may be used.

## Hydrogen peroxide 20% - < 22%

Handle contaminated packages in the same way as the substance itself.

### Remarks

Please consider the relevant national or regional provisions.

### SECTION 14: Transport information

<b>14.1</b>	<b>UN number</b>	2014.
<b>14.2</b>	<b>UN proper shipping name</b>	HYDROGEN PEROXIDE, AQUEOUS SOLUTION
<b>14.3</b>	<b>Transport hazard class(es)</b>	
	<b>Class</b>	5.1
	<b>Subsidiary risk(s)</b>	8 (corrosive effects)
<b>14.4</b>	<b>Packing group</b>	II
<b>14.5</b>	<b>Environmental hazards</b>	non-environmentally hazardous acc. to the dangerous goods regulations

### 14.6 Special precautions for user


Provisions for dangerous goods (ADR) should be complied within the premises.

### 14.7 Transport in bulk according to Annex II of MARPOL and the IBC Code

The cargo is not intended to be carried in bulk.

### 14.8 Information for each of the UN Model Regulations

#### Transport of dangerous goods by road, rail and inland waterway (ADR/RID/ADN).

UN number	2014
Proper shipping name	UN2014, HYDROGEN PEROXIDE, AQUEOUS SOLUTION, 5.1 (8), II, (E)
Class	5.1
Classification code	OC1
Packing group	II
Danger label(s)	5.1+8
	
Excepted quantities (EQ)	E2
Limited quantities (LQ)	1 L
Transport category (TC)	2.
Tunnel restriction code (TRC)	E

## Hydrogen peroxide 20% - < 22%

Hazard identification No 58

Emergency Action Code 2P

### International Maritime Dangerous Goods Code (IMDG)

UN number 2014

Proper shipping name UN2014, HYDROGEN PEROXIDE, AQUEOUS SOLUTION, 5.1 (8), II

Class 5.1

Subsidiary risk(s) 8

Marine pollutant -

Packing group II

Danger label(s) 5.1+8



Special provisions (SP) -

Excepted quantities (EQ) E2

Limited quantities (LQ) 1 L

EmS F-H, S-Q

Stowage category D

Segregation group 16 - Peroxides.

### International Civil Aviation Organization (ICAO-IATA/DGR)

Not subject to ICAO-IATA.

## SECTION 15: Regulatory information

### 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

#### Relevant provisions of the European Union (EU)

#### Restrictions according to REACH, Annex XVII

Dangerous substances with restrictions (REACH, Annex XVII)			
Name of substance	Name acc. to inventory	CAS No	Restriction
Hydrogen peroxide 20% - < 22%	this product meets the criteria for classification in accordance with Regulation No 1272/2008/EC		R3

#### Legend

- R3 1. Shall not be used in:  
- ornamental articles intended to produce light or colour effects by means of different phases, for example in or-

# Hydrogen peroxide 20% - < 22%

## Legend

- ornamental lamps and ashtrays,
- tricks and jokes,
- games for one or more participants, or any article intended to be used as such, even with ornamental aspects,
- 2. Articles not complying with paragraph 1 shall not be placed on the market.
- 3. Shall not be placed on the market if they contain a colouring agent, unless required for fiscal reasons, or perfume, or both, if they:
  - can be used as fuel in decorative oil lamps for supply to the general public, and,
  - present an aspiration hazard and are labelled with R65 or H304,
- 4. Decorative oil lamps for supply to the general public shall not be placed on the market unless they conform to the European Standard on Decorative oil lamps (EN 14059) adopted by the European Committee for Standardisation (CEN).
- 5. Without prejudice to the implementation of other Community provisions relating to the classification, packaging and labelling of dangerous substances and mixtures, suppliers shall ensure, before the placing on the market, that the following requirements are met:
  - (a) lamp oils, labelled with R65 or H304, intended for supply to the general public are visibly, legibly and indelibly marked as follows: 'Keep lamps filled with this liquid out of the reach of children'; and, by 1 December 2010, 'Just a sip of lamp oil - or even sucking the wick of lamps - may lead to life-threatening lung damage';
  - (b) grill lighter fluids, labelled with R65 or H304, intended for supply to the general public are legibly and indelibly marked by 1 December 2010 as follows: 'Just a sip of grill lighter may lead to life threatening lung damage';
  - (c) lamp oils and grill lighters, labelled with R65 or H304, intended for supply to the general public are packaged in black opaque containers not exceeding 1 litre by 1 December 2010.
- 6. No later than 1 June 2014, the Commission shall request the European Chemicals Agency to prepare a dossier, in accordance with Article 69 of the present Regulation with a view to ban, if appropriate, grill lighter fluids and fuel for decorative lamps, labelled R65 or H304, intended for supply to the general public.
- 7. Natural or legal persons placing on the market for the first time lamp oils and grill lighter fluids, labelled with R65 or H304, shall by 1 December 2011, and annually thereafter, provide data on alternatives to lamp oils and grill lighter fluids labelled R65 or H304 to the competent authority in the Member State concerned. Member States shall make those data available to the Commission.

## List of substances subject to authorisation (REACH, Annex XIV) / SVHC - candidate list

none of the ingredients are listed

## Seveso Directive

2012/18/EU (Seveso III)			
No	Dangerous substance/hazard categories	Qualifying quantity (tonnes) for the application of lower and upper-tier requirements	Notes
	not assigned		

## Directive 2011/65/EU on the restriction of the use of certain hazardous substances in electrical and electronic equipment (RoHS) - Annex II

none of the ingredients are listed

## Regulation 166/2006/EC concerning the establishment of a European Pollutant Release and Transfer Register (PRTR)

none of the ingredients are listed

## Hydrogen peroxide 20% - < 22%

### Directive 2000/60/EC establishing a framework for Community action in the field of water policy (WFD)

none of the ingredients are listed

### Regulation 98/2013/EU on the marketing and use of explosives precursors

Explosives precursors which are subject to restrictions				
Name of substance	CAS No	Type of registration	Remarks	Limit value
hydrogen peroxide	7722-84-1	Annex I		12 % w/w

#### Legend

annex I Substances which shall not be made available to members of the general public on their own, or in mixtures or substances including them, except if the concentration is equal to or lower than the limit values set out below

## 15.2 Chemical Safety Assessment

No Chemical Safety Assessment has been carried out for this mixture by the supplier.  
Chemical safety assessments for substances in this mixture were not carried out.

## SECTION 16: Other information

### Abbreviations and acronyms

Abbreviations and acronyms	
Abbr.	Descriptions of used abbreviations
Acute Tox.	Acute toxicity
ADN	Accord européen relatif au transport international des marchandises dangereuses par voies de navigation intérieures (European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways)
ADR	Accord européen relatif au transport international des marchandises dangereuses par route (European Agreement concerning the International Carriage of Dangerous Goods by Road)
Aquatic Chronic	Hazardous to the aquatic environment - chronic hazard
ATE	Acute Toxicity Estimate
CAS	Chemical Abstracts Service (service that maintains the most comprehensive list of chemical substances)
CLP	Regulation (EC) No 1272/2008 on classification, labelling and packaging of substances and mixtures
DGR	Dangerous Goods Regulations (see IATA/DGR)
DNEL	Derived No-Effect Level
EC No	The EC Inventory (EINECS, ELINCS and the NLP-list) is the source for the seven-digit EC number, an identifier of substances commercially available within the EU (European Union)
EH40/2005	EH40/2005 Workplace exposure limits ( <a href="http://www.nationalarchives.gov.uk/doc/open-government-licence/">http://www.nationalarchives.gov.uk/doc/open-government-licence/</a> )



## Hydrogen peroxide 20% - < 22%

<b>Abbreviations and acronyms</b>	
<b>Abbr.</b>	<b>Descriptions of used abbreviations</b>
EINECS	European Inventory of Existing Commercial Chemical Substances
ELINCS	European List of Notified Chemical Substances
EmS	Emergency Schedule
Eye Dam.	Seriously damaging to the eye
Eye Irrit.	Irritant to the eye
GHS	"Globally Harmonized System of Classification and Labelling of Chemicals" developed by the United Nations
IATA	International Air Transport Association
IATA/DGR	Dangerous Goods Regulations (DGR) for the air transport (IATA)
ICAO	International Civil Aviation Organization
IMDG	International Maritime Dangerous Goods Code
index No	The Index number is the identification code given to the substance in Part 3 of Annex VI to Regulation (EC) No 1272/2008
MARPOL	International Convention for the Prevention of Pollution from Ships (abbr. of "Marine Pollutant")
NLP	No-Longer Polymer
Ox. Liq.	Oxidising liquid
PBT	Persistent, Bioaccumulative and Toxic
PNEC	Predicted No-Effect Concentration
ppm	Parts per million
REACH	Registration, Evaluation, Authorisation and Restriction of Chemicals
RID	Règlement concernant le transport International ferroviaire des marchandises Dangereuses (Regulations concerning the International carriage of Dangerous goods by Rail)
Skin Corr.	Corrosive to skin
Skin Irrit.	Irritant to skin
STEL	Short-term exposure limit
STOT SE	Specific target organ toxicity - single exposure
SVHC	Substance of Very High Concern
TWA	Time-weighted average
vPvB	Very Persistent and very Bioaccumulative
WEL	Workplace exposure limit

### Key literature references and sources for data

Regulation (EC) No 1272/2008 on classification, labelling and packaging of substances and mixtures.  
Regulation (EC) No. 1907/2006 (REACH), amended by 2015/830/EU.

## Hydrogen peroxide 20% - < 22%

Transport of dangerous goods by road, rail and inland waterway (ADR/RID/ADN).  
International Maritime Dangerous Goods Code (IMDG).  
Dangerous Goods Regulations (DGR) for the air transport (IATA).

### Classification procedure

Physical and chemical properties.

Health hazards.

Environmental hazards.

The method for classification of the mixture is based on ingredients of the mixture (additivity formula).

### List of relevant phrases (code and full text as stated in chapter 2 and 3)

List of relevant phrases (code and full text as stated in chapter 2 and 3)	
Code	Text
H271	May cause fire or explosion; strong oxidiser.
H302	Harmful if swallowed.
H314	Causes severe skin burns and eye damage.
H318	Causes serious eye damage.
H332	Harmful if inhaled.
H335	May cause respiratory irritation.
H412	Harmful to aquatic life with long lasting effects.

### Responsible for the safety data sheet

C.S.B. GmbH  
Düsseldorfer Str. 113  
47809 Krefeld, Germany

Telephone: +49 (0) 2151 - 652086 - 0  
Telefax: +49 (0) 2151 - 652086 - 9  
e-Mail: [info@csb-online.de](mailto:info@csb-online.de)  
Website: [www.csb-online.de](http://www.csb-online.de)

### Disclaimer

This information is based upon the present state of our knowledge.  
This SDS has been compiled and is solely intended for this product.